



PRODUCED ON: MAY 18, 2023





FOREVER 46, LLC

POWERS HIGH SCOREZ SAUCE INFUSED PREROLL 1.2G - MARSHMALLOW SQUIRT X CHUNKY SKUNK

CERTIFICATE OF ANALYSIS
REGULATORY COMPLIANCE TESTING

PASS



 POTENCY TESTED	 TERPENES TESTED	 MOISTURE TESTED	 FOREIGN MATTER NT
---	--	--	--

PASS PESTICIDES 	TESTED MYCOTOXINS 	TESTED SOLVENTS 	PASS HEAVY METALS 	PASS MICROBIALS 
--	--	---	--	--

CANNABINOID SUMMARY


** TOTAL THC = (THCA X 0.877) + THC | TOTAL CBD = (CBDA X 0.877) + CBD

28.45 %
TOTAL THC**

< LOQ %
TOTAL CBD**

32.69 %
TOTAL CANNABINOIDS

TERPENOID SUMMARY



SAMPLE INFO

BATCH NO.: 230508.0004-IPR
MATRIX: INFUSED FLOWER
CATEGORY: INHALABLE
SAMPLE ID: PS-230512-002
COLLECTED ON: MAY 12, 2023
RECEIVED ON: MAY 12, 2023
BATCH/SAMPLE SIZE: 1800 UNITS / 19.7169 G
RECEIVED BY: LAURA PIESLEWICZ

CULTIVATOR INFO

LICENSE
00000057DCHF00477864
MEDICINAL - CULTIVATOR LICENSE
CULTIVATOR
FOREVER 46 LLC
221 E 6TH ST.
TUCSON, AZ 85705

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTTRULL
LAB DIRECTOR, PLANT SAFE
MAY 18, 2023





HPLC-POT-L020: CANNABINOIDS BY HPLC | MAY 16, 2023

TESTED

ANALYTE	LOQ (mg/g)	LIMIT	AMT	AMT	ANALYTE	LOQ (mg/g)	LIMIT	AMT	AMT
CBC	Q3 R1	1.00	ND	ND	CBN	Q3 R1	1.00	< LOQ	< LOQ
CBCA	Q3 R1	2.00	3.2 mg/g	0.32 %	CBNA	Q3 R1	1.00	< LOQ	< LOQ
CBD	R1	1.00	ND	ND	Δ ⁸ -THC	Q3 R1	1.00	ND	ND
CBDA	R1	1.00	< LOQ	< LOQ	N/A	Δ ⁹ -THC	R1	1.00	124.5 mg/g
CBDV	Q3 R1	1.00	ND	ND	THCA	R1	1.00	182.4 mg/g	18.24 %
CBDVA	Q3 R1	1.00	ND	ND	THCV	Q3	1.00	3.3 mg/g	0.33 %
CBG	Q3 R1	1.00	2.5 mg/g	0.25 %	THCVA	Q3 R1	1.00	6.5 mg/g	0.65 %
CBGA	Q3 R1	1.00	4.5 mg/g	0.45 %	TOTAL THC**			284.5 mg/g	28.45 %
CBL	Q3 R1	1.00	ND	ND	TOTAL CBD**			< LOQ	< LOQ

** TOTAL CBD = (CBDA X 0.877) + CBD
** TOTAL THC = (THCA X 0.877) + THC



GC-TRP-L024: TERPENES BY GC-MS | MAY 12, 2023

TESTED

ANALYTE	LOQ (mg/g)	AMT	AMT	ANALYTE	LOQ (mg/g)	AMT	AMT		
LINALOOL	Q3	0.05	2.7 mg/g	0.27 %	(-)-ISOPULEGOL	Q3	0.05	0.1 mg/g	0.01 %
D-LIMONENE	Q3	0.05	2.4 mg/g	0.24 %	CAMPHERE	Q3	0.05	0.1 mg/g	0.01 %
α-HUMULENE	Q3	0.05	1.3 mg/g	0.13 %	(-)-GUAIOL	Q3	0.05	ND	ND
TRANS-NEROLIDOL	Q3	0.05	1.1 mg/g	0.11 %	α-OCIMENE	Q3	0.05	ND	ND
TRANS-β-CARYOPHYLLENE	Q3	0.05	4.0 mg/g	0.40 %	α-TERPINENE	Q3	0.05	ND	ND
(-)-β-PINENE	Q3	0.05	0.3 mg/g	0.03 %	CIS-β-OCIMENE	Q3	0.05	ND	ND
α-PINENE	Q3	0.05	0.3 mg/g	0.03 %	Δ ³ -CARENE	Q3	0.05	ND	ND
β-MYRCENE	Q3	0.05	0.3 mg/g	0.03 %	EUCALYPTOL	Q3	0.05	ND	ND
(-)-CARYOPHYLLENE OXIDE	Q3	0.05	0.2 mg/g	0.02 %	γ-TERPINENE	Q3	0.05	ND	ND
CIS-NEROLIDOL	Q3	0.05	0.2 mg/g	0.02 %	GERANIOL	Q3	0.05	ND	ND
TERPINOLENE	Q3	0.05	0.2 mg/g	0.02 %	P-CYME	Q3	0.05	ND	ND
(-)-α-BISABOLOL	Q3	0.05	0.1 mg/g	0.01 %	TOTAL TERPENES			13.3 mg/g	1.33 %



ICP-HVY-L021: HEAVY METALS BY ICP-MS | MAY 15, 2023

PASS

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL
ARSENIC	0.20	0.4	ND	PASS	LEAD	0.50	1	ND	PASS
CADMIUM	0.20	0.4	ND	PASS	MERCURY	0.60	1.2	ND	PASS



LC-PES-L022: PESTICIDES BY LC-MS/MS | MAY 18, 2023

PASS

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	
ABAMECTIN	R1	0.25	0.5	ND	PASS	MALATHION	0.10	0.2	ND	PASS
ACEPHATE		0.20	0.4	ND	PASS	METALAXYL	0.10	0.2	ND	PASS
ACEQUINOCYL		1.00	2	ND	PASS	METHIOCARB	0.10	0.2	ND	PASS

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
LAB DIRECTOR, PLANT SAFE
MAY 18, 2023



ACETAMIPRID	0.10	0.2	ND	PASS	METHOMYL	0.20	0.4	ND	PASS	
ALDICARB	0.20	0.4	ND	PASS	MYCLOBUTANIL	0.10	0.2	ND	PASS	
AZOXYSTROBIN	0.10	0.2	ND	PASS	NALED	0.25	0.5	ND	PASS	
BIFENAZATE	0.10	0.2	ND	PASS	OXAMYL	0.50	1	ND	PASS	
BIFENTHRIN	0.10	0.2	ND	PASS	PACLOBUTRAZOL	0.20	0.4	ND	PASS	
BOSCALID	0.20	0.4	ND	PASS	PENDIMETHALIN	Q3	0.05	ND	N/A	
CARBARYL	0.10	0.2	ND	PASS	PERMETHRIN	0.10	0.2	ND	PASS	
CARBOFURAN	0.10	0.2	ND	PASS	PHOSMET	0.10	0.2	ND	PASS	
CHLORANTRANILIPROLE	0.10	0.2	ND	PASS	PIPERONYLBUTOXIDE	M1	1.00	2	ND	PASS
CHLORFENAPYR	0.50	1	ND	PASS	PRALLETHRIN	0.10	0.2	ND	PASS	
CHLORPYRIFOS	0.10	0.2	ND	PASS	PROPICONAZOLE	0.20	0.4	ND	PASS	
CLOFENTEZINE	0.10	0.2	ND	PASS	PROPOXUR	0.10	0.2	ND	PASS	
CYFLUTHRIN	0.50	1	ND	PASS	PYRETHRINS	0.50	1	ND	PASS	
CYPERMETHRIN	0.50	1	ND	PASS	PYRETHRINS CINERIN I	0.50		ND	N/A	
DAMINOZIDE	0.50	1	ND	PASS	PYRETHRINS CINERIN II	0.50		ND	N/A	
DIAZINON	0.10	0.2	ND	PASS	PYRETHRINS JASMOLIN I	0.50		ND	N/A	
DICHLORVOS	0.05	0.1	ND	PASS	PYRETHRINS JASMOLIN II	0.50		ND	N/A	
DIMETHOATE	0.10	0.2	ND	PASS	PYRETHRINS PYRETHRIN I	0.50		ND	N/A	
ETHOPROPHOS	0.10	0.2	ND	PASS	PYRETHRINS PYRETHRIN II	0.50		ND	N/A	
ETOFENPROX	0.20	0.4	ND	PASS	PYRIDABEN	M2	0.10	0.2	ND	PASS
ETOXAZOLE	0.10	0.2	ND	PASS	SPINOSAD	0.10	0.2	ND	PASS	
FENOXYCARB	0.10	0.2	ND	PASS	SPINOSAD A	0.10		ND	N/A	
FENPYROXIMATE	0.20	0.4	ND	PASS	SPINOSAD D	0.10		ND	N/A	
FIPRONIL	0.20	0.4	ND	PASS	SPIROMESIFEN	0.10	0.2	ND	PASS	
FLONICAMID	0.50	1	ND	PASS	SPIROTETRAMAT	M2	0.10	0.2	ND	PASS
FLUDIOXONIL	0.20	0.4	ND	PASS	SPIROXAMINE	0.20	0.4	ND	PASS	
HEXYTHIAZOX	0.50	1	ND	PASS	TEBUCONAZOLE	0.20	0.4	ND	PASS	
IMAZALIL	L1 V1	0.10	0.2	ND	THIACLOPRID	0.10	0.2	ND	PASS	
IMIDACLOPRID	0.20	0.4	ND	PASS	THIAMETHOXAM	0.10	0.2	ND	PASS	
KRESOXIM-METHYL	0.20	0.4	ND	PASS	TRIFLOXYSTROBIN	0.10	0.2	ND	PASS	



LC-MYC-L022: MYCOTOXINS BY LC-MS/MS | MAY 18, 2023

TESTED

ANALYTE	LOQ (µg/kg)	LIMIT (µg/kg)	AMT (µg/kg)	PASS/FAIL	ANALYTE	LOQ (µg/kg)	LIMIT (µg/kg)	AMT (µg/kg)	PASS/FAIL
AFLATOXINS		20	ND	N/A	AFLATOXIN G1	10.00		ND	N/A
AFLATOXIN B1	R1	10.00	ND	N/A	AFLATOXIN G2	10.00		ND	N/A
AFLATOXIN B2		10.00	ND	N/A	OCHRATOXIN A	10.00	20	ND	N/A



GC-RSO-L023: RESIDUAL SOLVENTS BY GC-MS | MAY 15, 2023

TESTED

ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)	LIMIT (ppm)	AMT (ppm)	PASS/FAIL
ACETONE	400.00	1000	ND	N/A	CHLOROFORM	30.00	60	ND	N/A
BENZENE	1.00	2	ND	N/A	ETHYL ETHER	2000.00	5000	ND	N/A
ETHANOL	2000.00	5000	ND	N/A	ACETONITRILE	160.00	410	ND	N/A
HEPTANE	M2	2000.00	5000	ND	ETHYL ACETATE	2000.00	5000	ND	N/A
PROPANE	2000.00	5000	ND	N/A	DICHLOROMETHANE	240.00	600	ND	N/A

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL
LAB DIRECTOR, PLANT SAFE
MAY 18, 2023

David Luttrull



TOLUENE	400.00	890	ND	N/A	ISOPROPYL ACETATE	2000.00	5000	ND	N/A
METHANOL	1200.00	3000	ND	N/A	ISOPROPYL ALCOHOL	2000.00	5000	ND	N/A



PCR-ASP-L017: ASPERGILLUS BY QPCR | MAY 17, 2023

PASS

ANALYTE	LIMIT (CFU/g)	AMT (Units)	PASS/FAIL	ANALYTE	LIMIT (CFU/g)	AMT (Units)	PASS/FAIL
ASPERGILLUS FLAVUS	Any	ND	PASS	ASPERGILLUS NIGER	Any	ND	PASS
ASPERGILLUS FUMIGATUS	Any	ND	PASS	ASPERGILLUS TERREUS	Any	ND	PASS



TMP-ECO-L018: E. COLI BY PETRI-FILM | MAY 16, 2023

PASS

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	PASS/FAIL
ESCHERICHIA COLI	100	<10	PASS



PCR-SAL-L016: SALMONELLA BY QPCR | MAY 16, 2023

PASS

ANALYTE	LIMIT (CFU/g)	AMT (Units)	PASS/FAIL
SALMONELLA SPP.	Any	ND	PASS



HMA-MOI-L019: MOISTURE CONTENT BY HMA | MAY 12, 2023

TESTED

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE	Q3	6.58	N/A

PRODUCT IMAGES



Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTTRULL
LAB DIRECTOR, PLANT SAFE
MAY 18, 2023

