

PRODUCED ON: MAY 18, 2023

**FOREVER 46, LLC**

HIGH SCOREZ SAUCE INFUSED PREROLL 1.2G - GASTROPOP

## CERTIFICATE OF ANALYSIS REGULATORY COMPLIANCE TESTING

# PASS



POTENCY  
**TESTED**



TERPENES  
**TESTED**



MOISTURE  
**TESTED**



FOREIGN MATTER  
**NT**

**PASS**  
PESTICIDES



**TESTED**  
MYCOTOXINS



**TESTED**  
SOLVENTS



**PASS**  
HEAVY METALS



**PASS**  
MICROBIALS



### CANNABINOID SUMMARY


\*\* TOTAL THC = (THCA X 0.877) + THC | TOTAL CBD = (CBDA X 0.877) + CBD

**28.62 %**  
TOTAL THC\*\*

**< LOQ %**  
TOTAL CBD\*\*

**33.31 %**  
TOTAL CANNABINOIDS

### TERPENOID SUMMARY



### SAMPLE INFO

**BATCH NO.:** 230508.0003-IPR  
**MATRIX:** INFUSED FLOWER  
**CATEGORY:** INHALABLE  
**SAMPLE ID:** PS-230512-003  
**COLLECTED ON:** MAY 12, 2023  
**RECEIVED ON:** MAY 12, 2023  
**BATCH/SAMPLE SIZE:** 3500 UNITS / 19.5633 G  
**RECEIVED BY:** LAURA PIESLEWICZ

### CULTIVATOR INFO

**LICENSE**  
00000057DCHF00477864  
MEDICINAL - CULTIVATOR LICENSE  
**CULTIVATOR**  
FOREVER 46 LLC  
221 E 6TH ST.  
TUCSON, AZ 85705

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTTRULL  
LAB DIRECTOR, PLANT SAFE  
MAY 18, 2023






# HPLC-POT-L020: CANNABINOIDS BY HPLC | MAY 16, 2023

TESTED

| ANALYTE | LOQ (mg/g) | LIMIT | AMT      | AMT    | ANALYTE             | LOQ (mg/g)          | LIMIT | AMT        | AMT        |
|---------|------------|-------|----------|--------|---------------------|---------------------|-------|------------|------------|
| CBC     | Q3 R1      | 1.00  | ND       | ND     | CBN                 | Q3 R1               | 1.00  | < LOQ      | < LOQ      |
| CBCA    | Q3 R1      | 2.00  | 7.4 mg/g | 0.74 % | CBNA                | Q3 R1               | 1.00  | < LOQ      | < LOQ      |
| CBD     | R1         | 1.00  | ND       | ND     | Δ <sup>8</sup> -THC | Q3 R1               | 1.00  | ND         | ND         |
| CBDA    | R1         | 1.00  | < LOQ    | < LOQ  | N/A                 | Δ <sup>9</sup> -THC | R1    | 1.00       | 134.1 mg/g |
| CBDV    | Q3 R1      | 1.00  | 1.0 mg/g | 0.10 % | THCA                | R1                  | 1.00  | 173.4 mg/g | 17.34 %    |
| CBDVA   | Q3 R1      | 1.00  | ND       | ND     | THCV                | Q3                  | 1.00  | < LOQ      | < LOQ      |
| CBG     | Q3 R1      | 1.00  | 4.0 mg/g | 0.40 % | THCVA               | Q3 R1               | 1.00  | 4.5 mg/g   | 0.45 %     |
| CBGA    | Q3 R1      | 1.00  | 8.7 mg/g | 0.87 % | TOTAL THC**         |                     |       | 286.2 mg/g | 28.62 %    |
| CBL     | Q3 R1      | 1.00  | ND       | ND     | TOTAL CBD**         |                     |       | < LOQ      | < LOQ      |

\*\* TOTAL CBD = (CBDA X 0.877) + CBD  
\*\* TOTAL THC = (THCA X 0.877) + THC



# GC-TRP-L024: TERPENES BY GC-MS | MAY 12, 2023

TESTED

| ANALYTE                 | LOQ (mg/g) | AMT  | AMT      | ANALYTE | LOQ (mg/g)             | AMT | AMT  |          |
|-------------------------|------------|------|----------|---------|------------------------|-----|------|----------|
| β-MYRCENE               | Q3         | 0.05 | 1.7 mg/g | 0.17 %  | (-)-β-PINENE           | Q3  | 0.05 | ND       |
| TRANS-β-CARYOPHYLLENE   | Q3         | 0.05 | 1.7 mg/g | 0.17 %  | (-)-GUAJOL             | Q3  | 0.05 | ND       |
| LINALOOL                | Q3         | 0.05 | 1.4 mg/g | 0.14 %  | (-)-ISOPULEGOL         | Q3  | 0.05 | ND       |
| α-HUMULENE              | Q3         | 0.05 | 0.6 mg/g | 0.06 %  | α-OCIMENE              | Q3  | 0.05 | ND       |
| D-LIMONENE              | Q3         | 0.05 | 0.4 mg/g | 0.04 %  | α-TERPINENE            | Q3  | 0.05 | ND       |
| TERPINOLENE             | Q3         | 0.05 | 0.4 mg/g | 0.04 %  | CAMPHERE               | Q3  | 0.05 | ND       |
| TRANS-NEROLIDOL         | Q3         | 0.05 | 0.4 mg/g | 0.04 %  | Δ <sup>3</sup> -CARENE | Q3  | 0.05 | ND       |
| (-)-α-BISABOLOL         | Q3         | 0.05 | 0.2 mg/g | 0.02 %  | EUCALYPTOL             | Q3  | 0.05 | ND       |
| (-)-CARYOPHYLLENE OXIDE | Q3         | 0.05 | 0.1 mg/g | 0.01 %  | γ-TERPINENE            | Q3  | 0.05 | ND       |
| α-PINENE                | Q3         | 0.05 | 0.1 mg/g | 0.01 %  | GERANIOL               | Q3  | 0.05 | ND       |
| CIS-β-OCIMENE           | Q3         | 0.05 | 0.1 mg/g | 0.01 %  | P-CYMENE               | Q3  | 0.05 | ND       |
| CIS-NEROLIDOL           | Q3         | 0.05 | 0.1 mg/g | 0.01 %  | TOTAL TERPENES         |     |      | 7.2 mg/g |
|                         |            |      |          |         |                        |     |      | 0.72 %   |



# ICP-HVY-L021: HEAVY METALS BY ICP-MS | MAY 15, 2023

PASS

| ANALYTE | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL | ANALYTE | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL |
|---------|-----------|-------------|-----------|-----------|---------|-----------|-------------|-----------|-----------|
| ARSENIC | 0.20      | 0.4         | ND        | PASS      | LEAD    | 0.50      | 1           | ND        | PASS      |
| CADMIUM | 0.20      | 0.4         | ND        | PASS      | MERCURY | 0.60      | 1.2         | ND        | PASS      |



# LC-PES-L022: PESTICIDES BY LC-MS/MS | MAY 18, 2023

PASS

| ANALYTE     | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL | ANALYTE | LOQ (ppm)  | LIMIT (ppm) | AMT (ppm) | PASS/FAIL |
|-------------|-----------|-------------|-----------|-----------|---------|------------|-------------|-----------|-----------|
| ABAMECTIN   | R1        | 0.25        | 0.5       | ND        | PASS    | MALATHION  | 0.10        | 0.2       | ND        |
| ACEPHATE    |           | 0.20        | 0.4       | ND        | PASS    | METALAXYL  | 0.10        | 0.2       | ND        |
| ACEQUINOCYL |           | 1.00        | 2         | ND        | PASS    | METHIOCARB | 0.10        | 0.2       | ND        |

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL  
LAB DIRECTOR, PLANT SAFE  
MAY 18, 2023

*David Luttrull*



|                     |       |      |     |      |                         |      |      |     |      |      |
|---------------------|-------|------|-----|------|-------------------------|------|------|-----|------|------|
| ACETAMIPRID         | 0.10  | 0.2  | ND  | PASS | METHOMYL                | 0.20 | 0.4  | ND  | PASS |      |
| ALDICARB            | 0.20  | 0.4  | ND  | PASS | MYCLOBUTANIL            | 0.10 | 0.2  | ND  | PASS |      |
| AZOXYSTROBIN        | 0.10  | 0.2  | ND  | PASS | NALED                   | 0.25 | 0.5  | ND  | PASS |      |
| BIFENAZATE          | 0.10  | 0.2  | ND  | PASS | OXAMYL                  | 0.50 | 1    | ND  | PASS |      |
| BIFENTHRIN          | 0.10  | 0.2  | ND  | PASS | PACLOBUTRAZOL           | 0.20 | 0.4  | ND  | PASS |      |
| BOSCALID            | 0.20  | 0.4  | ND  | PASS | PENDIMETHALIN           | Q3   | 0.05 | ND  | N/A  |      |
| CARBARYL            | 0.10  | 0.2  | ND  | PASS | PERMETHRIN              | 0.10 | 0.2  | ND  | PASS |      |
| CARBOFURAN          | 0.10  | 0.2  | ND  | PASS | PHOSMET                 | 0.10 | 0.2  | ND  | PASS |      |
| CHLORANTRANILIPROLE | 0.10  | 0.2  | ND  | PASS | PIPERONYLBUTOXIDE       | M1   | 1.00 | 2   | ND   | PASS |
| CHLORFENAPYR        | 0.50  | 1    | ND  | PASS | PRALLETHRIN             | 0.10 | 0.2  | ND  | PASS |      |
| CHLORPYRIFOS        | 0.10  | 0.2  | ND  | PASS | PROPICONAZOLE           | 0.20 | 0.4  | ND  | PASS |      |
| CLOFENTEZINE        | 0.10  | 0.2  | ND  | PASS | PROPOXUR                | 0.10 | 0.2  | ND  | PASS |      |
| CYFLUTHRIN          | 0.50  | 1    | ND  | PASS | PYRETHRINS              | 0.50 | 1    | ND  | PASS |      |
| CYPERMETHRIN        | 0.50  | 1    | ND  | PASS | PYRETHRINS CINERIN I    | 0.50 |      | ND  | N/A  |      |
| DAMINOZIDE          | 0.50  | 1    | ND  | PASS | PYRETHRINS CINERIN II   | 0.50 |      | ND  | N/A  |      |
| DIAZINON            | 0.10  | 0.2  | ND  | PASS | PYRETHRINS JASMOLIN I   | 0.50 |      | ND  | N/A  |      |
| DICHLORVOS          | 0.05  | 0.1  | ND  | PASS | PYRETHRINS JASMOLIN II  | 0.50 |      | ND  | N/A  |      |
| DIMETHOATE          | 0.10  | 0.2  | ND  | PASS | PYRETHRINS PYRETHRIN I  | 0.50 |      | ND  | N/A  |      |
| ETHOPROPHOS         | 0.10  | 0.2  | ND  | PASS | PYRETHRINS PYRETHRIN II | 0.50 |      | ND  | N/A  |      |
| ETOFENPROX          | 0.20  | 0.4  | ND  | PASS | PYRIDABEN               | M2   | 0.10 | 0.2 | ND   | PASS |
| ETOXAZOLE           | 0.10  | 0.2  | ND  | PASS | SPINOSAD                | 0.10 | 0.2  | ND  | PASS |      |
| FENOXYCARB          | 0.10  | 0.2  | ND  | PASS | SPINOSAD A              | 0.10 |      | ND  | N/A  |      |
| FENPYROXIMATE       | 0.20  | 0.4  | ND  | PASS | SPINOSAD D              | 0.10 |      | ND  | N/A  |      |
| FIPRONIL            | 0.20  | 0.4  | ND  | PASS | SPIROMESIFEN            | 0.10 | 0.2  | ND  | PASS |      |
| FLONICAMID          | 0.50  | 1    | ND  | PASS | SPIROTETRAMAT           | M2   | 0.10 | 0.2 | ND   | PASS |
| FLUDIOXONIL         | 0.20  | 0.4  | ND  | PASS | SPIROXAMINE             | 0.20 | 0.4  | ND  | PASS |      |
| HEXYTHIAZOX         | 0.50  | 1    | ND  | PASS | TEBUCONAZOLE            | 0.20 | 0.4  | ND  | PASS |      |
| IMAZALIL            | L1 V1 | 0.10 | 0.2 | ND   | THIACLOPRID             | 0.10 | 0.2  | ND  | PASS |      |
| IMIDACLOPRID        | 0.20  | 0.4  | ND  | PASS | THIAMETHOXAM            | 0.10 | 0.2  | ND  | PASS |      |
| KRESOXIM-METHYL     | 0.20  | 0.4  | ND  | PASS | TRIFLOXYSTROBIN         | 0.10 | 0.2  | ND  | PASS |      |



## LC-MYC-L022: MYCOTOXINS BY LC-MS/MS | MAY 18, 2023

TESTED

| ANALYTE           | LOQ (µg/kg) | LIMIT (µg/kg) | AMT (µg/kg) | PASS/FAIL | ANALYTE      | LOQ (µg/kg) | LIMIT (µg/kg) | AMT (µg/kg) | PASS/FAIL |
|-------------------|-------------|---------------|-------------|-----------|--------------|-------------|---------------|-------------|-----------|
| <b>AFLATOXINS</b> |             | 20            | ND          | N/A       | AFLATOXIN G1 | 10.00       |               | ND          | N/A       |
| AFLATOXIN B1      | R1          | 10.00         | ND          | N/A       | AFLATOXIN G2 | 10.00       |               | ND          | N/A       |
| AFLATOXIN B2      |             | 10.00         | ND          | N/A       | OCHRATOXIN A | 10.00       | 20            | ND          | N/A       |



## GC-RSO-L023: RESIDUAL SOLVENTS BY GC-MS | MAY 15, 2023

TESTED

| ANALYTE | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL | ANALYTE         | LOQ (ppm) | LIMIT (ppm) | AMT (ppm) | PASS/FAIL |
|---------|-----------|-------------|-----------|-----------|-----------------|-----------|-------------|-----------|-----------|
| ACETONE | 400.00    | 1000        | ND        | N/A       | CHLOROFORM      | 30.00     | 60          | ND        | N/A       |
| BENZENE | 1.00      | 2           | ND        | N/A       | ETHYL ETHER     | 2000.00   | 5000        | ND        | N/A       |
| ETHANOL | 2000.00   | 5000        | ND        | N/A       | ACETONITRILE    | 160.00    | 410         | ND        | N/A       |
| HEPTANE | M2        | 2000.00     | 5000      | ND        | ETHYL ACETATE   | 2000.00   | 5000        | ND        | N/A       |
| PROPANE | 2000.00   | 5000        | ND        | N/A       | DICHLOROMETHANE | 240.00    | 600         | ND        | N/A       |

Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTRULL  
LAB DIRECTOR, PLANT SAFE  
MAY 18, 2023

*David Luttrull*



|          |         |      |    |     |                   |         |      |    |     |
|----------|---------|------|----|-----|-------------------|---------|------|----|-----|
| TOLUENE  | 400.00  | 890  | ND | N/A | ISOPROPYL ACETATE | 2000.00 | 5000 | ND | N/A |
| METHANOL | 1200.00 | 3000 | ND | N/A | ISOPROPYL ALCOHOL | 2000.00 | 5000 | ND | N/A |



### PCR-ASP-L017: ASPERGILLUS BY QPCR | MAY 17, 2023

**PASS**

| ANALYTE               | LIMIT (CFU/g) | AMT (Units) | PASS/FAIL | ANALYTE             | LIMIT (CFU/g) | AMT (Units) | PASS/FAIL |
|-----------------------|---------------|-------------|-----------|---------------------|---------------|-------------|-----------|
| ASPERGILLUS FLAVUS    | Any           | ND          | PASS      | ASPERGILLUS NIGER   | Any           | ND          | PASS      |
| ASPERGILLUS FUMIGATUS | Any           | ND          | PASS      | ASPERGILLUS TERREUS | Any           | ND          | PASS      |



### TMP-ECO-L018: E. COLI BY PETRI-FILM | MAY 16, 2023

**PASS**

| ANALYTE          | LIMIT (CFU/g) | AMT (CFU/g) | PASS/FAIL |
|------------------|---------------|-------------|-----------|
| ESCHERICHIA COLI | 100           | <10         | PASS      |



### PCR-SAL-L016: SALMONELLA BY QPCR | MAY 16, 2023

**PASS**

| ANALYTE         | LIMIT (CFU/g) | AMT (Units) | PASS/FAIL |
|-----------------|---------------|-------------|-----------|
| SALMONELLA SPP. | Any           | ND          | PASS      |



### HMA-MOI-L019: MOISTURE CONTENT BY HMA | MAY 12, 2023

**TESTED**

| ANALYTE  | LIMIT | AMT (%) | PASS/FAIL |
|----------|-------|---------|-----------|
| MOISTURE | Q3    | 6.22    | N/A       |

**PRODUCT IMAGES**



Results relate only to the samples received. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests are referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results presented on this COA are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes.

RESULTS CERTIFIED BY: DAVID LUTTRULL  
LAB DIRECTOR, PLANT SAFE  
MAY 18, 2023

